

MANN  
GB  
1025  
.N7  
J15

LIBRARY  
ANNEX  
M2

Cornell University Library  
GB 1025.N7J15


The water table in the western and centr



3 1924 014 113 405

ncm

ALBERT R. MANN LIBRARY  
AT  
CORNELL UNIVERSITY



STATE OF NEW YORK  
DEPARTMENT OF CONSERVATION  
WATER POWER AND CONTROL COMMISSION

THE WATER TABLE IN THE  
WESTERN AND CENTRAL PARTS OF  
LONG ISLAND, NEW YORK

By  
C. E. JACOB

Prepared in Cooperation with the Geological Survey  
United States Department of the Interior



BULLETIN GW-12

ALBANY  
1945

STATE OF NEW YORK  
DEPARTMENT OF CONSERVATION  
WATER POWER AND CONTROL COMMISSION

THE WATER TABLE IN THE  
WESTERN AND CENTRAL PARTS OF  
LONG ISLAND, NEW YORK

By  
C. E. JACOB

Prepared in Cooperation with the Geological Survey  
United States Department of the Interior



BULLETIN GW-12

ALBANY  
1945



NEW YORK STATE  
WATER POWER AND CONTROL COMMISSION

Commissioners

J. Victor Skiff  
Charles H. Sells  
Nathaniel L. Goldstein  
Russell Suter

Acting Conservation Commissioner, Chairman  
Superintendent of Public Works  
Attorney-General  
Executive Engineer



---

UNITED STATES DEPARTMENT OF THE  
INTERIOR

Harold L. Ickes, Secretary

GEOLOGICAL SURVEY

William E. Wrather, Director

M. L. Brashears, Jr.

Geologist in Charge, Jamaica, N. Y.

## CONTENTS

	<u>Page</u>
Introduction. . . . .	1
Geology. . . . .	2
Early ground-water records. . . . .	3
Map of 1903 by Burr-Hering-Freeman Commission. . . . .	4
Map of 1908 by Board of Water Supply, City of New York. . . . .	6
Map of 1933 by Wiggin. . . . .	8
Map of 1936 by Water Power and Control Commission. . . . .	8
Map of 1943 by Geological Survey. . . . .	10
References. . . . .	15
Table of data on shallow observation wells on Long Island. . . . .	17

## ILLUSTRATIONS

- Plate 1. Map of the western and central parts of Long Island,  
New York, showing contours of the water table May  
1943. . . . . (Back)
- Plate 2. Cross-sections of the western and central parts of  
Long Island, New York, showing profiles of the water  
table in 1903 and 1943. . . . . (Back)

# THE WATER TABLE IN THE WESTERN AND CENTRAL PARTS OF LONG ISLAND, NEW YORK

By C.E. Jacob

## INTRODUCTION

Since January 1932, the Geological Survey, United States Department of the Interior, has cooperated with the New York State Water Power and Control Commission, the Nassau County Department of Public Works, the Suffolk County Board of Supervisors, and more recently also with the Suffolk County Water Authority, in an intensive study of the ground-water resources of Long Island. This work is under the general direction of O. E. Meinzer, Geologist in Charge of the Division of Ground Water, of the Water Resources Branch of the Survey, and under the immediate supervision of M. L. Brashears, Jr., Geologist in Charge of ground-water investigations in New York and New England.

The continuing program has included the systematic measurement of water levels in shallow observation wells on the island. The purpose of these measurements has been in part to map the ground-water table and to evaluate its fluctuations, whether natural ones resulting from variations in rates of precipitation, evaporation, and transpiration, or artificial ones resulting from pumping for municipal, industrial, agricultural, or other useful purposes. The contour map of the water table presented in this report represents in a sense the culmination of an effort to expand a growing network of observation wells to cover most of Long Island. In another sense, however, it will merely serve as a guide, along with earlier contour maps, pointing to a more complete and accurate map that may be obtained by adequate coverage of the entire island by shallow test wells, and particularly of the critical area in Brooklyn and western Queens.

The present map has been made possible by the cooperative effort of many persons. Mr. W. Fred Welsch, Senior Engineer of the Nassau County Department of Public

Works, willingly made available members of the staff who assisted the Geological Survey in making the water-level measurements in May 1943. Mr. Henry L. Frauenthal, of the same organization, offered many helpful suggestions. Grateful acknowledgment is also due Mr. Russell Suter, Executive Engineer of the New York State Water Power and Control Commission, whose constructive criticism led to notable improvements in the map. The coverage of western Suffolk County was made possible by the financial cooperation of the Board of Supervisors and the Water Authority of that county. The drafting of the map and sections was executed by Mr. Lauren R. Wistoft, of the Geological Survey.

### GEOLOGY

The geology of Long Island has been discussed at length by several writers (6) (10) (12) (13) and will therefore only be sketched briefly here.

Long Island is formed of glacial deposits of varying thickness that were laid down on unconsolidated beds of Cretaceous age. The backbone of the island is a double row of hills representing terminal moraines fashioned by the great ice sheets of the Pleistocene epoch. South of these morainal deposits is an outwash plain that slopes gently toward the ocean. The outwash material is quite permeable and rather uniform in structure. The water table in the area south of the moraines is accordingly a more or less continuous surface of low slope, though modified somewhat by the streams that it feeds.

Along the north shore of the island the glacial deposits are much less homogeneous and generally less permeable, being composed in part of till. Numerous bays cut into the shore of the island along the sound. Flowing into these bays are many small streams of steep slope, some of which are fed by natural springs. In the area north of the moraines there are several small lakes and water tables perched on impermeable lenses above the main water table. There the main water table slopes steeply and in irregular fashion, generally toward the north shore.

The upper Cretaceous beds that underlie the glacial deposits on most of Long Island and crop out in some places are also of importance because of their influence on the configuration of the main water table. The uppermost beds of that series, which are supposedly of Magothy age, comprise interbedded sands and silts totalling several hundred feet in thickness. Underlying these sands and silts are clays assigned to the Raritan formation, which in turn are underlain by Lloyd sand, also considered to belong to the Raritan formation. The Lloyd sand, an excellent water-bearing bed, rests unconformably on the ancient crystalline rocks, and dips toward the southeast about 100 feet to the mile. The sands of the Magothy formation, as well as the Lloyd sand, all have the main water table on Long Island as the source of their head. These sands unquestionably affect the shape of the main water table.

In many areas over the island it is difficult to establish the bottom of the main water-table aquifer.

#### EARLY GROUND-WATER RECORDS

In 1851 water-level measurements were made in about 30 shallow wells in the southern parts of Kings and Queens Counties. These were reported by McAlpine (1) in 1852. However, neither the exact locations of the wells nor the dates of measurements are given.

The earliest known contour map of the water table of any part of Long Island appeared in 1867 in a report by Kirkwood (2). It covered the area lying between Jamaica and Hempstead and extending about 8 miles inland from the south shore. The measurements upon which this map was based presumably were made in the late fall of 1859 or the early spring of 1860 (3). In 1854 Stoddard (4) reported elevations of the water table at several wells in Brooklyn in connection with a study of possibilities of water supply from underground sources in that area.

MAP OF 1903 BY BURR-HERING-FREEMAN COMMISSION

In November 1903 the Commission on Additional Water Supply for the City of New York reported its findings to the Commissioner of Water Supply, Gas and Electricity (5). This Commission came to be known as the Burr-Hering-Freeman Commission, for those were the names of its members. Their report included a contour map (Plate VIII of Appendix VII, following p. 810) of the water table as of July 1, 1903, based on water-level readings in 1,378 shallow wells, 333 of which were 2-inch test wells driven especially for that purpose. The map covered that part of Long Island lying west of Manor and Moriches, Suffolk County, except the area within the Borough of Brooklyn of the City of New York. By means of a five-foot contour interval it showed a water table conforming to the general outline of the island and modified by the numerous bays and streams. The maximum slopes of the water table on the south shore, as measured on ten north-south sections across the island ((5), Plate VII of Appendix VII, following p. 810), ranged from 7 to 20 feet per mile and averaged about 14 feet per mile. Slopes on the north shore were reported as ranging from 30 to 100 feet per mile, though they were not so well defined because of the variable composition and structure of the morainal material there in contrast to the more nearly uniform deposits that underlie the outwash plains to the south.

The datum of the Brooklyn Water Department was used in the Burr-Hering-Freeman investigation. It was found to be 1,087 feet above the Willets Point datum, the latter having been fixed by tide observations at Willets Point from 1891 to 1895.

The highest water-table elevation, slightly over 100 feet above sea level, was shown near the Nassau-Suffolk County line between Hicksville and Huntington. However, the contours there were drawn as a succession of short dashes, indicating that some uncertainty was attached to their value or meaning in that area.

On page 811 of the Burr-Hering-Freeman report the following statement is made:

"Where these contours are shown as a succession of long dashes, the surface of the ground water is well established; where shown as dotted lines, as on some of the areas covered by the moraine and the thick layers of till on the northerly portion of the island, the location of the surface of the water table is somewhat conjectural, because few existing wells were found there of sufficient depth to reach the true water table and the cost of the necessary wells, some of which would have had to be fully 150 feet in depth, was prohibitive. The surface of the ground water, which is held by the fine compact material forming the moraines and the layers of till that partially cover the northerly portion of the island, are not shown on this 1903 contour map. Since, in general, it appears that the water from these elevated strata is slowly percolating into the sands and gravels that, as the geologists have shown, underlie the mantle of till, to what might be termed the lower water table, which is the surface shown by the contours. . . . The strata between these two saturated layers are, in some localities, completely saturated, the difference between the elevations of the two water tables representing the loss of head through vertical seepage; but in many localities the intervening sands were found to be only partially saturated."

In recent years wells of the requisite depth have been drilled in some of the doubtful areas shown on the 1903 map. The results are given on the contour map accompanying this report (Plate 1). Some of these wells struck water at two levels before the main water table was reached, confirming the observation made in 1903.

The 1903 water-table map of the Burr-Hering-Freeman Commission was republished



with slight modifications by the Geological Survey in 1906 in a report on the ground-water resources of Long Island (6). The location of contours in doubtful areas was again shown by dotted lines.

The western part of the 1903 water-table map, covering Queens and Nassau Counties only, was reproduced in 1912 by the Board of Water Supply of the City of New York in their report on obtaining an additional supply of water for the City of New York from Suffolk County (7).

An extension of the 1903 water-table contours into Brooklyn was made by Wiggin in 1934 in an engineering report on behalf of the New York Water Service Corporation, objectors to the application of the City of New York to the Water Power and Control Commission for additional ground-water supply in Brooklyn, Queens, and Nassau (8). Those contours, which had been terminated at the Brooklyn-Queens boundary, were extended into Brooklyn on the basis of water levels reported by Stoddard (4) in 1854, trunk-sewer invert elevations, and water levels from records of test borings for subway construction. The highest elevation of the water table shown in Brooklyn for 1903 was about 20 feet. Wiggin remarked, "it is probable that a few isolated areas in the high parts of Prospect Park and elsewhere had higher levels. . ." The Burr-Hering-Freeman contours of 1903 were again published in 1937, by the Water Power and Control Commission (11), together with Wiggin's extension of those contours into Brooklyn (8). Comparison was made with water-table contours for 1936.

#### MAP OF 1908 BY BOARD OF WATER SUPPLY, CITY OF NEW YORK

The report of the Board of Water Supply (7) referred to previously is appropriately called the Spear report after Walter E. Spear, at that time Division Engineer of the Board of Water Supply. Under his direction an intensive investigation was made of the ground-water resources of western Suffolk County. The study of ground-water levels was extended eastward to the longitude of Riverhead.



The Spear report contained a map (Vol. 1, sheet 6, opposite p. 108) showing the configuration of the water table on July 1, 1907, in that part of Suffolk County lying west of Riverhead, in addition to the above mentioned water-table map of Queens and Nassau for 1903 (Vol. 1, sheet 1, opposite p. 60) republished from the Burr-Hering-Freeman report. The contour interval was five feet. All elevations were referred to a new datum 1.72 feet below the datum of the Brooklyn Water Department.

General agreement was shown between the Spear map of 1907 of western Suffolk County and the Burr-Hering-Freeman map of 1903 covering the same area. Many of the wells put down during the 1903 investigation were later used by the Board of Water Supply. In addition, about 300 two-inch test wells were driven in the area to augment those wells and other existing wells available for observation.

Caution in the interpretation of the water-table contours in certain areas was again urged in the Spear report, as the following quotations from pages 108 and 109 will show:

"The ground-water contours shown here define, however, only the main surface of saturation. In the moraines, local beds of clay and boulder till maintain elevated water-tables that are much higher and quite independent of the main surface of saturation. Between these elevated or "perched" water-tables . . . . . and the main water-table below, the strata are only partially saturated. . . .

"There are but few observations upon the surface of the main water-table beneath the high and compact morainal ridges, and the ground-water contours there are drawn in a general way from the observations in wells outside of these areas. This lack of information in these areas does not appreciably affect the accuracy

of the determination of the ground-water catchment. The few wells in the doubtful area between the Nassau County line and Elwood indicate that the ground-water summit is not far from the surface divide of the southerly moraine."

(Underscoring is ours.)

#### MAP OF 1933 BY WIGGIN

A contour map of the water table in Brooklyn and Queens in May 1933 was presented by Wiggin in connection with hearings before the Water Power and Control Commission on the application by the City of New York already referred to. This was a joint effort by consulting engineers for the objecting water-supply companies and officials of the New York Department of Water Supply, Gas and Electricity. By comparing this map with the 1903 contours and their extension into Brooklyn, Wiggin estimated the amount of water that had been withdrawn from storage in that critical area during the intervening 30 years. Wiggin's map of 1933 was published by Laase (9) in 1934 and by Thompson, Wells, and Blank (10) in 1937.

#### MAP OF 1936 BY NEW YORK STATE WATER POWER AND CONTROL COMMISSION

In Bulletin GW-2 of this series (11), published by the Water Power and Control Commission in 1937, Suter gave a water-table map for 1936 with a five-foot contour interval, covering again the area from Riverhead westward. To obtain the data numerous wells were measured, some of them after relatively short periods of recovery. In many cases it was necessary to estimate elevations from topographic maps ( (11), p. 51), but despite this lack of refinement the 1936 contour map was of value in indicating important changes, even in the short period from 1933 to 1936, particularly in the critical area of Brooklyn.

In commenting on the state of knowledge at the time of the hearings on the application of the City of New York in 1933 Suter stated (pp. 48, 50) "All along

the Queens-Nassau County line this Brooklyn overdraft had lowered the ground-water level by many feet. How far into Nassau County that effect went and whether it extended to Suffolk was not then (1933) known." One object of the studies made in 1936 was to fill in this gap, but again perched water-table conditions presented a serious handicap. With the funds available and with the time allotted it was not then possible to drill the necessary deep test holes to determine the true position of the main water table in the center of the island. Suter repeated the warnings given in both the Burr-Hering-Freeman and Spear reports, in the following words: "There is ever present danger that in hills, along the moraines and in disturbed strata generally levels may be taken in wells piercing perched water deposits and so fail to indicate the true upper surface of the main body of ground water." ( (11), p. 51). This reservation tempered his summation (p. 50) of the results of the investigation just then completed: "Latest information showed material changes for the worse in the period 1933-1936. Not only has the Brooklyn depression gone down - - as was expected - - but the depressed area has extended far to the east into Queens County. The effects in Nassau County are serious and there can be no doubt but that they extend even into Suffolk, although somewhat masked by the difficulty of avoiding perched water tables in the ranges of hills near the county line." (Underscoring is ours.)

Deep observation wells drilled more recently in that area passed through the perched water tables and reached the main water table. As discussed more fully below, it now appears that the effect of pumping in Brooklyn has not extended to Suffolk County. The apparent decline of the water table at the Nassau-Suffolk County line is attributable first to the fact that the early maps contoured perched water tables, and secondly, to differences in antecedant precipitation.

MAP OF 1943 BY GEOLOGICAL SURVEY

Plate 1 is a map of the western and central parts of Long Island showing by contours the configuration of the main water table in May 1943. The contours are drawn with a 10-foot interval on the basis of water-level measurements in 289 shallow wells distributed among the counties as follows:

<u>Agency, or Owner</u>	<u>County</u>			
	<u>Kings</u>	<u>Queens</u>	<u>Nassau</u>	<u>Suffolk</u>
Nassau Co. Dept. of Public Works	0	0	167	0
New York City Board of Water Supply	0	0	0	28
New York City Dept. of Water Supply	12	25	6	8
New York Water Service Corporation	7	0	0	0
U. S. Geological Survey	0	0	1	20
Industrial or other	9	0	1	5
Totals	28	25	175	61

The table beginning on page 17 gives pertinent data concerning these wells. The State well numbers are those adopted by the New York State Water Power and Control Commission (14) and widely used by other agencies. The same numbers are used in the series of Water-Supply Papers (15) in which complete water-level records for most of the 289 wells are published, most of them going back to the beginning of record. The owner's number is given in many cases to assist in referring to the early records.

Under "Location" are given addresses or nearest street intersections, though in many cases merely the localities are given. The depth of the well means the total depth measured inside the casing from the top. The top of the casing is generally within about a foot of the ground surface, except as noted under

"Remarks."

The tabulated water-level elevations are based mostly on measurements made near the end of May 1943. The more recently completed wells in Suffolk County were measured in June 1944. At the end of that month the water table over most of Long Island, as shown in other representative shallow wells, was generally at about the same level as it was at the end of May 1943.

Water levels in supply wells of the New York Water Service Corporation in Flatbush, Brooklyn, were taken from testimony of Thomas H. Wiggin, Consulting Engineer, given at a hearing before the Water Power and Control Commission. In some cases these are static levels of wells in service.

All elevations given in the table refer to mean sea level. The elevations of measuring points on the well casings have been determined by differential leveling done by the Geological Survey. The general order of significance of the water-table elevations is indicated on the map, most of the elevations being given to the nearest tenth of a foot. Water levels determined at another time than at the end of May 1943 are given to the nearest foot only.

Where the density of wells is adequate the contours are drawn as full lines. Where information is lacking or where there is some uncertainty as to its interpretation, the contours are drawn as broken lines. No attempt has been made to draw in the contours below the 60-foot contour in northern Nassau County because many of the wells in that area undoubtedly reach only to perched water tables. That is true, for example, of wells N 1171 and N 1172.

There is a large area in northwestern Suffolk County in which there are few shallow observation wells. The provisional dashed contours there should be regarded only as suggestive of the general shape of the main water table in that area. Farther to the east, between Lake Ronkonkoma and Carman's River, the coverage is better, particularly along two recently completed profiles

(sections H-H' and I-I').

In drawing contours along the south shore of Suffolk County the 1908 map by the Board of Water Supply was used as a guide, allowance being made for the general decline of water levels that is known to have occurred since that time (16). Also allowance was made for the difference in datum planes.

No contours are shown for that area in Queens County lying north of the terminal moraine, except for the zero contour. This contour encircles the center of heavy pumpage in the Woodhaven area and separates the high area of north Queens from the low area in Brooklyn. At two "stagnation points" it intersects the closed zero contour that completely encircles the island along its shore. One of these points is on Jamaica Bay and the other assumedly on Newtown Creek. A similar zero contour separates the high area of Gravesend from the rest of Brooklyn.

Perhaps the most striking difference between the map on plate 1 and earlier water-table contour maps of Long Island is the configuration of the high in Nassau County. The maximum elevation of the main ground-water table in Nassau County in May 1943 was about 85 feet, or approximately 15 feet lower than shown on the 1903 contour map. Furthermore, the high point in 1943 was about 5 miles west of its position according to the 1903 map. However, it must be kept in mind that on the 1903 map the contours in that area were drawn as dotted lines, indicating that the position of the true water table was conjectural, as pointed out above (p. 10). Comparison of the two water tables is best seen on section G-G', plate 2. Section F-F' shows the same divergence of levels, though to a lesser degree.

Differences in average elevation of the water table in 1903 and 1943 as shown on the other sections of plate 2 is attributable partly to differences in precipitation. A recent study (16) of early water levels and precipitation and

their long-term correlation shows that in 1890 or about that year the water table was at its highest stage since 1850. A secondary high was reached in 1903. On the basis of precipitation data it is estimated that in Nassau and western Suffolk Counties the water table should have averaged about four or five feet lower in 1943 than in 1903. The profiles of plate 2 show approximately that much difference in the stage of the water table at the beginning and end of this 40-year period.

Another significant difference between the present contour map and earlier maps is in the shape and extent of the water-table depression in Brooklyn and western Queens. The probable original shape of the water table in Brooklyn is indicated on section A-A' on plate 2, which is based on Wiggin's extension of the 1903 contours (8). The decline that has occurred there is the result of pumping for industrial purposes and for public water supplies (17). In the early years of the ground-water development in Brooklyn the decline was gradual. In recent years it has been accelerated and the water-table depression has expanded. A comparison of the 1933 and 1936 contour maps shows that the water table in parts of Brooklyn and Queens declined rather sharply during that three-year period. Since 1936 there has been only a small net decline, although the depression has continued to expand. In general, low water levels were reached about 1941. Since then there has been a slight recovery of water levels in the area of most concentrated pumping.

Referring to section B-B' on plate 2, it is seen that in 1943 the water table was lower everywhere along that section than it was in 1903. Part of that difference in levels is due to the difference in average rates of precipitation before 1903 and before 1943, which was discussed above. However, the major part of the difference in water levels there is due to the pumping distributed over the area adjacent to that section ( (17), fig. 6).

In view of the relative nearness of the center of heavy pumping in Brooklyn

to the East River, it is not likely that the effect of that pumping reaches very far into Queens. As the water table hinges on the tidewater in the nearby channels, any transient state of flow set up by a change in the rate of pumping in that area soon degenerates into a new steady state of flow without affecting appreciably the water levels at comparably greater distances in the opposite direction.

Notwithstanding the evident overdraft in Brooklyn and in parts of Queens, the ground-water resources of Long Island as a whole are still not fully utilized. The potential supply in the central and eastern parts of the island is tremendous. (11), p. 32). Through proper development it may be used for municipal, industrial and agricultural purposes on a scale that has scarcely been anticipated.



# REFERENCES

- (1) McAlpine, W. J., Report made to the water committee of the Common Council of the City of Brooklyn on supplying the city with water, p. 113, Brooklyn, I. Van Anden, 1852.
- (2) Kirkwood, J. P., The Brooklyn waterworks and sewers, a descriptive memoir, New York Board of Water Commissioners, 1867.
- (3) Leggette, R. M., Long-time records of ground-water levels on Long Island, New York, Trans. Amer. Geophys. Union, p. 341, 1936. Also Thompson, D. G., U. S. Geological Survey Water-Supply paper 777, footnote p. 115, 1936.
- (4) Stoddard, J. S., Report on the subject of supplying Brooklyn with water by the well system; Documents and plans submitted by the Water Committee to the Common Council of the City of Brooklyn, pp. 87-99, 1854.
- (5) Report of the Commission on Additional Water Supply for the City of New York, Martin B. Brown Co., New York 1904.
- (6) Veatch, A. C., and others, Underground water resources of Long Island, New York, U. S. Geological Survey Professional Paper 44, Plate XII, 1906.
- (7) Report of the Board of Water Supply of the City of New York on Long Island Sources, Walter E. Spear, Division Engineer, 2 vols., 1912.
- (8) Engineering Report of Thomas H. Wiggin in the matter of Application Number 681 of the City of New York to the Water Power and Control Commission, February 26, 1934.
- (9) Laase, W. F., Sub-surface water supply of western Long Island and its utilization, Municipal Eng. Jour., map p. 24, 1934.
- (10) Thompson, David G., Wells, Francis G., and Blank, Horace R., Recent geologic studies on Long Island with respect to ground-water supplies. Econ. Geology, V. 32, pp. 451-470, 1937.
- (11) Suter, Russell, Engineering Report on the water supplies of Long Island, State of New York Water Power and Control Commission, Bulletin GW-2, 1937.
- (12) Fuller, M. L., The geology of Long Island, N. Y., U. S. Geological Survey Professional Paper 82, 1914.
- (13) Crosby, W. O., Outline of the geology of Long Island in its relation to the public water supplies, in Freeman, J. R., Report upon New York's water supply, appendix 16, pp. 553-572, Martin B. Brown Co., 1900.
- (14) Leggette, R. M., Records of wells in Kings County, New York, New York State Water Power and Control Commission, Bulletin GW-3, Albany, 1937. Same for Suffolk, Nassau, and Queens Counties, Bulletins GW-4, 5, and 6 respectively, published in 1938, all by R. M. Leggette.

- (15) Water levels and artesian pressure in observation wells in the United States, U. S. Geological Survey Water-Supply Papers 777, 817, 840, 845, 886, 906, 936, 944, and 986 (in press), covering consecutive years from 1935 to 1943, sections on Long Island by M. L. Brashears, Jr., R. M. Leggette, E. J. Schaefer, and D. G. Thompson.
- (16) Jacob, C. E., Correlation of ground-water levels and precipitation on Long Island, New York, Part II, Correlation of data, Trans. Amer. Geophys. Union, 1944, (in press.)
- (17) Thompson, David G., and R. M. Leggette, Withdrawal of ground water on Long Island, N. Y., New York State Water Power and Control Commission, Bulletin GW-1, 1936.

Well Number	State	Owner's Name	Location	Diameter (inches)	Depth (feet)	Elevation		Date	Remarks
						of top of casing (feet)	Water Level (feet)		
K 50		G. J. Tagliabue Co.	Park and Nottstrand Avenues, Brooklyn	8	50	12.00	-27.8	May 29, 1943	Well in basement; top of casing about 6 ft. below street.
K 65	2	A. Ludwig Co.	125 Middleton St., Brooklyn	6	59.1	12.84	-25.6	do	Well in pit; top of casing 4.5 ft. below ground surface.
K 67		Y. M. C. A.	179 Marcy Ave., Brooklyn	8	80.7	7.55	-19.2	do	Well in pit in basement; top of casing 89.6 ft. below street.
K 92		St. John's Univ.	75 Lewis Ave., Brooklyn	6	98.6	64.4	-21.6	do	Well in pit in basement; top of casing 71.5 ft. below street.
K 97		The Borden Co.	52 Lexington Ave., Brooklyn	8	120	62.23	-24.8	Apr. 5, 1944	Well in building; top of casing about 2 ft. below street.
K 104		do	796 Fulton St., Brooklyn	10	88.5	5.3	-25.4	May 29, 1945	Well in pit in basement; top of casing about 72 ft. below street.
K 196	1	Knick. Ice Co.	12th Ave. and 57th St. Brooklyn	10	157.8	79.68	-3.1	do	Well in building; top of casing about 7 ft. above street.
K 501	F 1	N. Y. W. S. C.	365 Dahill Road, Brooklyn	24	102.5	46.65	-4.9	June 1945	Water level reported by Thos. H. Wiggin.
K 502	F 2	do	E. 51st St. near Newkirk Ave., Brooklyn	26	101	10.90	-9.2	Mar. 27, 1945	Top of well about 4.8 ft. below ground surface.
K 504	F 4	do	Albany Ave. and Foster Ave., Brooklyn	24	108.5	19.81	-9.5	June 1945	Water level reported by Thos. H. Wiggin.
K 508	F 8	do	807 Eaton Ave., Brooklyn	24	120	49.82	-13.3	do	do
K 513	F 13	do	865 McDonald Ave., Brooklyn	26	92.4	53.02	-2.6	do	do
K 515	F 14	do	1267 Utica Ave., Brooklyn	26	90	25.52	-10.0	do	do
K 533		do	E. 88th St. near Rutland Road, Brooklyn	8	295	42.58	-22.4	May 29, 1945	
K 535	Gravel	N. Y. C. D. W. S.	Ave. S and E. 18th St., Brooklyn	6	65.5	14.09	+2.4	May 1, 1945	Well in trench; top of casing about 5 ft. below ground surface.
K 589		do	Atlantic Ave. and Logan St., Brooklyn	4 1/2	32.7	22.62	-3.4	May 29, 1945	Well in basement; top of casing 10.5 ft. below ground.
K 921		Byrdun Corp.	Grand and St. Marks Aves., Brooklyn	10	284	117.88	-25.5	do	Well in building; top of casing about 2 ft. above street.
K 1198		N. Y. C. D. W. S.	Cleveland and Fulton Sts., Brooklyn	1 1/2	53.4	56.90	-5.5	do	
K 1199		do	Jefferson and Howard Aves., Brooklyn	1 1/2	75.6	48.62	-16.0	do	
K 1235		do	Fulton St. and Pennsylvania Ave., Brooklyn	1 1/2	79.4	60.47	-9.1	do	
K 1236		do	Lexington and Patchen Aves., Brooklyn	1 1/2	81.7	50.91	-17.8	do	
K 1237		do	Delamater Pl. and Hopkins St., Brooklyn	1 1/2	65.2	18.02	-24.0	do	
K 1263		do	E. 16th St. and Cortelyou Rd., Brooklyn	1 1/2	49.7	35.87	-10.4	do	
K 1264		do	E. 57th St. and Snyder Ave., Brooklyn	1 1/2	66.6	43.89	-14.4	do	
K 1265		do	Thatford St. and Riverdale Ave., Brooklyn	1 1/2	43.8	23.22	-10.8	do	
K 1266		do	Vermont St. and Livonia Ave., Brooklyn	1 1/2	41.4	27.63	-5.9	do	
K 1296		do	Blake Ave. and Crystal St., Brooklyn	2	33.9	9.80	-1.4	do	
K 1347		Albee Theatre	DeKalb Ave. and Fulton St., Brooklyn	48	57.8	26.26	-20.4	do	Well in basement; top of casing about 14 ft. below street.
N 157		J. N. Hill	Cedar Swamp Road, Wheatley Hills	6	300	218.68	85.0	do	
N 1101	D 1	N. G. D. P. W.	Valley Rd., near Willets Rd., Manhasset	1 1/2	36.6	49.88	44.1	May 29, 1945	
N 1102	D 2	do	Willets and Valley Rds., Lake Success	2 1/2	140.0	185.82	54.8	do	
N 1103	D 3	do	Marcus Ave. and Lakeville Rd., Lake Success	2	180.8	146.12	55.6	do	
N 1104	D 4	do	80th Ave. near Rhodes St., New Hyde Park	2	76.6	125.37	56.7	do	
N 1105	D 5	do	Emerson and Whittier Aves., New Hyde Park	2	61.4	108.20	54.4	do	
N 1107	D 7	do	Kingston Ave. and Bertha St., So. Floral Park	1 1/2	37.2	66.41	44.2	do	
N 1108	D 8	do	Jacob St. and Rosalind Ave., Elmont	1 1/2	47.1	70.12	39.6	do	
N 1109	D 9	do	Dutch Broadway and Henry St., Elmont	1 1/2	37.5	42.54	27.4	do	
N 1110	D 10	do	Henry Street, No. Valley Stream	1 1/2	27.3	30.85	20.5	do	

Well Number State	Owner's	Owner	Location	Diameter (inches)	Depth (feet)	Elevation		Water Level Elevation (feet)	Date	Remarks
						of top of casing (feet)	of casing (feet)			
N 1111	D 11	N. C. D. P. W.	Fletcher and Teneyck Aves., Valley Stream	1 1/4	27.5	20.44	14.2	May 28, 1943		
N 1112	D 12	do	Sunrise Highway and 2nd St., Valley Stream	1 1/4	22.2	15.44	9.4	May 29, 1943		
N 1113	D 13	do	DuBois Ave. and Drew St., Gibson	1 1/4	22.2	10.46	6.1	May 28, 1943		
N 1114	D 14	do	W. Broadway and Hamilton Ave., Hewlett	1 1/4	31.4	24.00	10.2	do		
N 1115	D 15	do	Wood St. and Brower Ave., Woodmere	1 1/4	19.7	22.88	10.9	do		
N 1117	E 1	do	On Fraser property, Sands Point	1 1/4	38.5	18.51	4.7	do		
N 1118	E 2	do	Harbor Acres, Port Washington	2 1/2	131.2	152.06	90.4	do		
N 1119	E 3	do	Port Washington	2 1/2	145.0	154.20	118.0	do		
N 1120	E 4	do	Flower Hill	2 1/2	94.7	117.57	57.8	do		
N 1121	E 5	do	Stratmore Village	2 1/2	177.9	220.05	81.4	do		
N 1122	E 6	do	North Hills	4	139.0	178.99	85.1	do		
N 1123	E 7	do	Herricks	2 1/2	95.9	144.53	66.1	do		
N 1124	E 8	do	Garden City Park	1 1/4	59.9	109.93	64.8	do		
N 1125	E 8	do	Garden City Park	1 1/4	48.8	95.96	62.2	do		
N 1126	E 10	do	Steward Ave. and Sackville Rd., Garden City	1 1/4	49.4	86.74	57.8	May 29, 1943		
N 1127	E 11	do	Munson	1 1/4	38.1	75.15	52.7	May 28, 1943		
N 1128	E 12	do	Munson	1 1/4	38.5	63.06	42.6	do		
N 1129	E 13	do	Lakeview	1 1/4	38.4	50.90	31.7	do		
N 1130	E 14	do	Malverne	1 1/4	33.4	37.51	21.8	do		
N 1131	E 15	do	Malverne	1 1/4	28.5	24.41	13.4	do		
N 1132	E 16	do	Sunrise Hwy., and Lakewood Blvd., Lynbrook	1 1/4	27.1	20.87	8.4	May 29, 1943		
N 1133	E 17	do	East Rockaway	1 1/4	23.4	10.05	3.4	May 28, 1943		
N 1134	F 1	do	Roslyn	1 1/4	33.5	39.04	21.8	May 31, 1943		
N 1135	F 2	do	Roslyn	2	87.5	144.27	68.2	do		
N 1136	F 3	do	Albertson	1 1/4	62.8	125.81	69.7	do		
N 1137	F 4	do	Williston Park	1 1/4	48.8	107.51	74.2	do		
N 1138	F 5	do	Mineola	1 1/4	48.5	104.87	72.6	do		
N 1139	F 6	do	Garden City	2 1/2	59.1	102.96	67.9	do		
N 1140	F 7	do	Kellum Pl. and 9th St., Garden City	1 1/4	42.5	91.34	61.0	do		
N 1141	F 8	do	Garden City	1 1/4	32.5	76.58	54.5	do		
N 1142	F 9	do	Hempstead	1 1/4	33.6	61.92	45.8	do		
N 1143	F 10	do	Hempstead	1 1/4	34.5	53.11	35.8	do		
N 1144	F 11	do	South Hempstead	1 1/4	51.9	46.85	33.1	do		
N 1145	F 12	do	Rockville Centre	1 1/4	27.6	40.16	27.7	do		
N 1146	F 13	do	Rockville Centre	1 1/4	32.3	37.76	24.7	do		
N 1147	F 14	do	Seaman Ave. near Knollwood Rd., Baldwin	1 1/4	23.4	27.52	18.1	do		
N 1148	F 15	do	Baldwin	1 1/4	27.3	21.21	6.7	do		
N 1149	G 1	do	Glen Cove	2 1/2	-	38.60	42.2	May 28, 1943		
N 1150	G 2	do	Glen Cove	1 1/4	20.6	53.08	37.5	do		

Well Number State	Owner's	Owner	Location	Diameter (inches)	Depth (feet)	Elevation of top of casing (feet)	Water Level Elevation (feet)	Date	Remarks
N 1151	G 8	N. C. D. P. W.	Glen Cove	1 1/4	26.2	34.05	23.3	May 28, 1943	
N 1152	G 4	do	do	4	180.4	154.05	51.4	do	
N 1153	G 5	do	Glen Head	2 1/4	85.5	121.66	61.3	do	
N 1154	G 6	do	Greenvale	2 1/4	141.2	178.65	64.0	do	
N 1155	G 7	do	East Hills	4	229.9	280.50	78.0	do	
N 1156	G 8	do	Old Westbury	4	108.9	158.08	76.8	do	
N 1157	G 9	do	do	1 1/4	113.9	170.25	77.7	do	
N 1158	G 10	do	do	1 1/4	51.7	111.22	77.1	do	
N 1159	G 11	do	Carle Place	1 1/4	35.4	88.14	72.4	do	
N 1160	G 12	do	Stewart Ave., Mitchell Field	1 1/4	45.5	92.57	65.8	May 29, 1943	
N 1162	G 14	do	Uniondale	1 1/4	56.5	70.50	51.7	May 28, 1943	
N 1163	G 15	do	do	1 1/4	28.7	58.22	44.9	do	
N 1164	G 16	do	Roosevelt	1 1/4	34.2	48.98	35.6	do	
N 1165	G 17	do	do	1 1/4	31.5	40.59	26.4	do	
N 1166	G 18	do	Freeport	1 1/4	27.4	29.15	18.2	do	
N 1167	G 19	do	No. Ocean and Brooklyn Avenues, Freeport	1 1/4	27.5	23.76	11.5	May 29, 1943	
N 1168	G 20	do	Freeport	1 1/4	27.9	14.01	5.0	May 28, 1943	
N 1171	H 2	do	Lattingtown	2 1/4	58.1	88.28	62.4	do	
N 1172	H 3	do	Locust Valley	2 1/4	101.5	143.99	61.0	do	
N 1173	H 4	do	Glen Cove	2 1/4	96.9	144.80	66.6	do	
N 1174	H 5	do	Chicken Valley Road, Old Brookville	2 1/4	60.1	112.92	72.6	do	
N 1175	H 6	do	Near No. Hempstead Turnpike, Old Westbury	4	158.3	176.99	79.4	do	
N 1176	H 7	do	Post Ave. and Westley Road, Old Westbury	4	127.6	194.61	82.1	do	
N 1177	H 8	do	Hitchcock and Powell Lanes, Old Westbury	4	146.2	188.88	88.6	do	
N 1179	H 10	do	School St. near Old Country Road, Westbury	1 1/4	37.7	104.24	75.0	do	
N 1181	H 12	do	Fulton St. near Merrick Avenue, East Meadow	1 1/4	39.0	82.85	58.5	do	
N 1182	H 13	do	Spring St. and Merrick Avenue, East Meadow	1 1/4	37.8	70.91	51.1	do	
N 1183	H 14	do	William Street, North Merrick	1 1/4	32.6	50.17	37.0	do	
N 1184	H 15	do	Meador and Camp Avenues, North Merrick	1 1/4	27.6	53.17	22.3	do	
N 1185	H 16	do	W. Grand Avenue and Lindgren Street, Merrick	1 1/4	17.1	21.12	15.2	May 29, 1943	
N 1186	H 17	do	Merrick Road and Central Parkway, Merrick	1 1/4	25.1	9.90	5.4	May 28, 1943	
N 1187	O 1	do	Bayville	1 1/4	25.1	5.15	3.8	May 27, 1943	
N 1188	O 2	do	Mill Neck	1 1/4	33.6	56.90	22.6	do	
N 1189	O 3	do	do	1 1/4	33.1	66.71	61.4	do	
N 1190	O 4	do	Matinecock	4	99.1	127.88	60.0	do	
N 1191	O 5	do	Upper Brookville	2 1/4	97.2	154.88	75.0	do	
N 1192	O 6	do	Muttontown	2 1/4	77.6	142.82	86.3	do	
N 1193	O 7	do	Brookville	2 1/4	97.2	231.05	85.5	May 27, 1943	
N 1194	O 8	do	Jericho	2 1/4	104.0	174.24	88.5	do	

Well Number State	Owner's	Owner	Location	Diameter (inches)	Depth (feet)	Elevation of top of casing (feet)	Water Level Elevation (feet)	Date	Remarks
N 1195	O 9	N. C. D. P. W.	Hicksville	2½	-	146.99	83.2	May 27, 1945	
N 1196	O 10	do	do	1½	61.9	124.87	78.7	do	
N 1197	O 11	do	do	1½	61.0	116.62	74.5	do	
N 1198	O 12	do	Newridge Road, So. of Hicksville	1½	51.7	100.84	66.7	do	
N 1199	O 13	do	East Meadow	1½	47.5	88.95	59.6	do	
N 1200	O 14	do	North Bellmore	1½	37.1	69.61	50.7	do	
N 1201	O 15	do	North Bellmore	1½	31.7	55.07	42.1	do	
N 1202	O 16	do	do	1½	28.4	44.62	33.4	do	
N 1203	O 17	do	Bellmore	1½	23.3	27.29	25.0	do	
N 1204	O 18	do	Harris Court and John Street, Bellmore	1½	23.6	21.47	11.5	do	
N 1205	O 19	do	Bellmore	1½	28.3	9.26	1.8	do	
N 1206	P 1	do	Bayville	1½	30.3	8.62	3.0	do	
N 1207	P 2	do	Oyster Bay	1½	23.7	22.53	22.4	do	
N 1208	P 3	do	do	1½	30.7	59.17	45.1	do	
N 1209	P 4	do	East Norwich	2½	87.7	146.21	102.4	do	
N 1210	P 5	do	do	2½	139.6	188.25	95.6	do	
N 1211	P 6	do	Syosset	2½	166.0	217.25	73.4	do	
N 1212	P 7	do	Jericho Turnpike, Locust Grove	4	184.4	228.21	84.6	do	Recorder well.
N 1213	P 8	do	Hicksville	2½	109.3	175.18	84.7	do	
N 1214	P 9	do	do	1½	79.6	148.88	80.3	do	
N 1215	P 10	do	Bloomingsdale Road and Broadway, Hicksville	1½	53.6	115.47	73.2	do	
N 1216	P 11	do	Central Blvd., Central Park	1½	53.8	104.45	65.7	do	
N 1217	P 12	do	Island Trees	1½	32.4	76.34	57.5	do	
N 1218	P 13	do	Jerusalem	1½	41.6	76.15	51.8	do	
N 1219	P 14	do	North Wantagh	1½	28.3	57.06	42.3	do	
N 1220	P 15	do	Seaford	1½	22.5	44.05	30.0	do	
N 1221	P 16	do	do	1½	28.5	32.18	20.6	do	
N 1222	P 17	do	Cecelia Place and John Street, Seaford	1½	28.5	21.18	8.9	do	
N 1223	P 18	do	South Massapequa	1½	23.3	6.09	2.8	do	
N 1224	T 1	do	Cove Neck	1½	-	25.41	3.7	do	
N 1225	T 2	do	do	1½	13.9	8.31	3.0	do	
N 1226	T 3	do	do	1½	62.3	33.74	24.9	do	
N 1227	T 4	do	Oyster Bay Cove	2½	134.1	171.46	49.9	do	
N 1228	T 5	do	Syosset	4	178.8	223.77	65.2	do	
N 1229	T 6	do	do	4	201.3	251.30	75.2	do	
N 1230	T 7	do	Plainview	2½	144.3	174.36	81.8	do	
N 1231	T 8	do	do	2½	83.2	142.72	79.6	May 27, 1945	
N 1232	T 9	do	Plainview Road and Plain Hay Path, Plainview	2½	54.5	111.61	78.0	do	
N 1233	T 10	do	Plainview Road and Motor Parkway, Bethpage	1½	53.7	95.19	69.2	do	

Well Number State Owner's	Owner	Location	Diameter (inches)	Depth (feet)	Elevation of top of casing (feet)	Water Level Elevation (feet)	Date	Remarks
N 1234	T 11	N. C. D. P. W.	1 1/4	65.3	101.13	62.2	May 27, 1943	
N 1235	T 12	do	1 1/4	54.3	72.13	53.7	do	
N 1236	T 13	do	1 1/4	44.5	70.46	45.4	do	
N 1237	T 14	do	1 1/4	54.2	55.95	37.6	do	
N 1238	T 15	do	1 1/4	29.6	40.54	29.1	do	
N 1239	T 16	do	1 1/4	28.5	30.44	19.0	do	
N 1240	T 17	do	1 1/4	28.2	23.00	10.7	do	
N 1241	T 18	do	1 1/4	23.7	7.40	4.4	do	
N 1242	U 1	do	1 1/4	31.1	41.08	28.6	do	
N 1243	U 2	do	1 1/4	16.0	64.61	55.5	do	
N 1244	U 3	do	4	259.0	248.89	71.7	do	
N 1245	U 4	do	2 1/2	202.3	259.95	76.8	do	
N 1246	U 5	do	4	124.7	185.10	78.1	do	
N 1247	U 6	do	1 1/4	109.5	157.13	72.1	do	
N 1249	U 8	do	1 1/4	34.0	67.84	53.3	do	
N 1250	U 9	do	1 1/4	33.5	62.24	46.3	do	
N 1251	U 10	do	1 1/4	28.7	48.85	38.9	do	
N 1252	U 11	do	1 1/4	25.5	29.37	25.5	do	
N 1253	U 12	do	1 1/4	28.7	28.48	15.7	May 29, 1943	
N 1254	U 13	do	1 1/4	23.7	14.04	3.8	May 27, 1943	
N 1255		do	1 1/4	34.6	79.36	61.0	May 29, 1943	Replaced N. Y. C. D. W. S. Well CH 196.
N 1256		do	1 1/4	50.5	112.34	78.5	do	Replaced N. Y. C. D. W. S. Well Ch 201.
N 1257		do	1 1/4	27.9	21.94	7.9	do	Replaced N. Y. C. D. W. S. Well L 44.
N 1258	M 58	N. Y. C. D. W. S.	1 1/2	20.8	48.19	37.6	do	
N 1259		U. S. G. S.	1 1/4	47.5	78.37	52.5	do	Replaced N. Y. C. D. W. S. Well M 185.
N 1260		N. C. D. P. W.	1 1/4	29.3	33.14	21.6	May 31, 1943	Replaced N. Y. C. D. W. S. Well S 45.
N 1262	S 169	N. Y. C. D. W. S.	1 1/2	17.1	40.96	34.8	May 29, 1943	
N 1263		N. C. D. P. W.	1 1/4	32.2	65.97	50.9	do	Replaced N. Y. C. D. W. S. Well S 161
N 1264	S 183	N. Y. C. D. W. S.	1 1/2	25.2	13.72	8.2	do	
N 1461		N. C. D. P. W.	6	74.5	131.49	76.0	do	Recorder well. Top of casing 2.0 feet above ground.
N 1462		do	6	51.7	94.98	62.9	do	do
N 1463		do	6	50.6	50.67	39.7	do	do
N 1464		do	6	42.1	30.32	16.1	do	Recorder well. Top of casing 1.5 feet above ground.
N 1614	L 161	N. Y. C. D. W. S.	1 1/2	35.8	100.70	68 ±	-	
N 1615	CI 264	do	1 1/2	25.6	62.75	44.5	May 28, 1943	
N 1616	CI 276	do	1 1/2	48.4	122.80	81.1	May 28, 1943	
N 1621	X 1	N. C. D. P. W.	1 1/4	60.1	85.85	39.5	May 28, 1943	
N 1622	X 2	do	1 1/4	55.0	76.07	35.6	do	
N 1623	X 3	do	1 1/4	54.6	63.56	31.7	do	




Well Number State	Owner's	Owner	Location	Diameter (inches)	Depth (feet)	Elevation of top of casing (feet)	Water Level Elevation (feet)	Date	Remarks
N 1624	I 4	N. Y. C. D. W. S.	Elmont	1 1/2	44.9	47.95	24.5	May 28, 1943	
N 1625	I 5	do	Valley Stream	1 1/2	56.8	57.57	18.2	do	
N 1626	I 6	do	do	1 1/2	24.2	16.14	11.5	do	
N 1682	do	do	Grocers and Elm Avenues, Bellerose	1 1/2	54.9	88.11	48.5	May 29, 1943	
N 1683	do	do	Stewart Avenue and 6th Street, New Hyde Park	1 1/2	43.9	83.05	55.7	May 31, 1943	
N 1684	do	do	Madison and Stewart Avenues, Garden City	1 1/2	48.0	88.55	58.3	May 29, 1943	
N 1828	do	do	Melville Road, near Suffolk Co. Line, Farmingdale	6	37.0	85.89	60.0	May 28, 1943	Recorder well replacing N 1248. Top of casing 2.0 feet above ground.
N 1829	do	do	Stewart Avenue and Newbridge Avenue, Salisbury	6	28.2	79.17	67.7	May 29, 1943	Recorder well replacing N 1180. Top of casing 2.5 feet above ground.
N 1830	do	do	Tyson Avenue near L. I. R. R., Floral Park	6	68.1	97.32	50.7	do	Recorder well replacing N 1106. Top of casing 2.5 feet above ground.
Q 1089	do	N. Y. C. D. W. S.	North Conduit Avenue near L. I. R. R., Aqueduct	2	52.5	20.51	1.9	do	Replaced N. Y. C. D. W. S. Well A 53.
Q 1090	do	do	Hawtree Creek Road, near 135d Avenue, Aqueduct	1 1/2	42.2	51.82	4.2	do	Replaced N. Y. C. D. W. S. Well A 43.
Q 1223	do	do	Rockaway Blvd. and 142d Place, South Ozone Park	2	52.0	26.60	8.0	do	Replaced N. Y. C. D. W. S. Well A 55 A.
Q 1224	do	do	102d Avenue near Van Wyck Blvd., Jamaica	2	47.5	47.85	8.6	do	
Q 1225	do	do	109th Avenue and 200th Street, Hollis	2	52.0	49.40	28.4	do	
Q 1248	do	do	100th Rd. and Belt Parkway, Queens Village	1 1/2	48.9	76.53	56.5	do	
Q 1249	do	do	106th Avenue and 218th Street, Queens Village	1 1/2	49.5	72.55	52.3	do	
Q 1250	do	do	Liberty and Camden Avenues, Hollis	1 1/2	26.0	37.56	21.2	do	
Q 1251	do	do	107th Avenue and 172d Street, Jamaica	1 1/2	58.2	42.69	11.8	do	
Q 1252	do	do	Liberty Avenue and 157th Street, Jamaica	1 1/2	28.2	51.18	12.9	May 1, 1943	
Q 1253	do	do	101st Avenue and 121st Street, Richmond Hill	1 1/2	53.8	49.16	5.9	May 29, 1943	
Q 1254	do	do	101st Avenue and 108th Street, Richmond Hill	1 1/2	53.7	45.46	-0.5	do	
Q 1255	do	do	Atlantic Avenue and Woodhaven Blvd., Woodhaven	1 1/2	52.8	40.45	-3.2	do	Replaced N. Y. C. D. W. S. Well A 25 A.
Q 1256	do	do	95th Avenue and 82d Street, Woodhaven	1 1/2	37.6	23.97	-2.9	do	
Q 1281	do	do	Liberty Avenue and Woodhaven Blvd., Ozone Park	1 1/2	56.8	28.78	-1.0	do	
Q 1282	do	do	Liberty Avenue and 115th Street, Richmond Hill	1 1/2	52.4	40.02	1.9	do	Replaced N. Y. C. D. W. S. Well A 38A.
Q 1283	do	do	Rockaway Blvd. and 121st Street, So. Ozone Park	1 1/2	32.6	26.74	4.9	do	
Q 1284	do	do	Rockaway Blvd. and Lincoln Street, So. Ozone Park	1 1/2	43.1	33.84	8.2	do	
Q 1285	do	do	132d Street and 111th Avenue, So. Ozone Park	1 1/2	47.4	42.72	7.5	do	
Q 1286	do	do	144th Place near Jamaica Avenue, Jamaica	1 1/2	49.0	46.94	10.3	do	
Q 1287	do	do	Merrick Blvd. and 116th Avenue, St. Albans	2	27.1	25.53	12.8	do	
Q 1288	do	do	Murdoch Avenue and 180th Street, St. Albans	1 1/2	28.5	56.50	18.5	do	
Q 1289	do	do	Springfield Blvd. and 110th Avenue, Queens Village	2	31.5	53.80	32.1	do	
Q 1290	do	do	Merrick Road and Springfield Blvd., Springfield	2	22.2	24.03	16.9	do	
Q 1292	do	do	Union Turnpike and 185th Street, Jamaica	1 1/2	44.0	67.71	27.5	do	
S 203	do	C. A. Gould	Wolf Hill Road, Deer Park	10	259.0	205.45	71.5	do	
S 1803	SU 12	N. Y. C. D. W. S.	Belmont Avenue and Farmingdale Road, Babylon	1 1/2	13.4	21.69	16.4	do	
S 1805	do	do	Farmingdale Road and Albany Avenue, Amityville	2	22.9	57.19	43.0	do	Replaced N. Y. C. D. W. S. Well SU 37.






Well Number State	Owner's	Owner	Location	Diameter (inches)	Depth (feet)	Elevation of top of casing (feet)	Water Level Elevation (feet)	Date	Remarks
S 1806	SU 47	N. Y. C. D. W. S.	Wellwood and Long Island Avenues, Pinalam	1½	39.7	86.88	59.4	April 11 30, 1945	
S 1807	SU 66	do	Higbie Lane near Hunter Avenue, near Babylon	1½	11.7	24.67	22.1	May 29, 1945	
S 1808	SU 75	do	Sagtikos Manor Lane, Brightwaters	1½	14.7	15.85	11.1	do	N. Y. C. B. W. S. Well 49 is nearby.
S 1809	SU 81	do	Sagtikos Manor Lane, Brightwaters	2	27.0	41.49	29.5	do	
S 1810	SU 86	do	Sagtikos Manor Lane, Brentwood	1½	47.8	90.10	50.9	do	
S 1812		U. S. G. S.	Smithtown Blvd. and Nichols Road, Wescosset	1½	37.0	69.06	47.1	do	
S 1813		do	Johnson Avenue, Ronkonkoma	1½	39.5	58.75	38.5	April 1 30, 1945	
S 1814		do	Suffolk and Lowells Avenues, Central Islip	1½	48.7	79.85	37.0	May 29, 1945	
S 1815		do	Suffolk and Eastern Avenues, Brentwood	1½	39.2	72.14	45.7	do	
S 1816		do	Brentwood and Commack Roads, Deer Park	1½	37.5	85.21	57.2	do	
S 1817		do	Long Island Avenue and 18th Street, Wyandanch	1½	23.6	58.95	51.9	do	
S 2454		L. I. R. R.	Near Deer Park Avenue at L. I. R. R., Babylon	10	68.8	13.07	7.6	do	
S 2455		U. S. G. S.	Bay Shore	10	20.0	35.29	23.0	do	Recorder well. Top of casing 2.2 feet above ground.
S 2545	106	N. Y. C. B. W. S.	Suffolk Avenue and Elydenburgh Road, Central Islip	2	27.6	82.82	84.9	do	
S 3112	SU 53	N. Y. C. B. W. S.	L. I. Ave. and Little East Neck Rd, Wyandanch	1½	35.5	79.09	54.2	do	
S 3496		U. S. G. S.	Coates Avenue near L. R. R., Holbrook	1½	75.8	115.87	49.0	do	
S 3497		do	Long Island and Waverly Avenues, Holtsville	1½	64.9	105.61	48.4	do	
S 3498		do	Long Island Avenue, Medford	1½	60.5	94.71	45.4	May 27, 1945	
S 3512		N. Y. S. D. H.	Middle Country Road, Lake Grove	8	60.9	107.41	68.4	do	
S 3513		do	Middle Country Road, Selden	8	64.2	102.10	63.3	do	Recorder well.
S 3514		Herman Jurgens	Jericho Turnpike, Commack	30	94.5	154.22	66.4	May 29, 1945	
S 3515	57	N. Y. C. B. W. S.	E. 5d Avenue, near Brook Street, Bayshore	2	55.0	44.15	34.1	do	
S 3516	58	do	E. 5d Avenue, near Walbridge Avenue, Bayshore	2	37.7	80.60	38.4	do	
S 3517	60	do	Isakeland Avenue and Tariff Street, Sayville	2	19.6	31.56	13.1	do	
S 3518	79	do	Islip Avenue near Locust Street, Central Islip	2	34.7	51.76	32.2	May 27, 1945	
S 3519	95	do	Carlston Ave. near Manhattan Blvd., Central Islip	2	33.8	52.80	26.1	do	
S 3520	146	do	Sylvan Ave. and Church St., near Elise Point	2	42.6	41.64	19.0	May 29, 1945	
S 3521	162	do	Medford Avenue, Medford	2	49.5	72.57	37.5	May 27, 1945	
S 3522	166	do	Waverly Avenue, Patchogue	2	43.7	45.55	19.7	May 29, 1945	
S 3523	202	do	Barton Avenue, Patchogue	2	59.5	49.24	27.0	May 27, 1945	
S 3524	215	do	Park Road, near Yaphank Avenue, Yaphank	2	35.2	46.45	22.5	do	
S 3525	216	do	Long Island Ave., near Yaphank Ave., Yaphank	2	35.7	54.02	26.9	do	
S 3526	218	do	Long Island Ave., and So. Haven Road, Yaphank	2	-	89.95	27.8	do	
S 3527	222	do	Horseblock Road, Plainfield	2	88.2	87.71	33.1	do	
S 3529	238	do	Horseblock Road, Brookhaven	2	34.1	36.42	26.6	do	
S 3530	240	do	Near L. I. R. R., west of Yaphank Ave., Yaphank	2	45.5	65.92	35.5	do	
S 3531	254	N. Y. C. B. W. S.	River Rd., north of Montauk Highway, South Haven	2	55.5	25.29	10.1	do	
S 3532	265	do	Whiskey and Mandall Roads, Ridge	2	69.8	85.00	48.6	do	
S 3533	272	do	South of Middle Country Road, Middle Island	2	51.5	61.46	47.0	do	

Well Number State	Owner's	Owner	Location	Diameter (inches)	Depth (feet)	Elevation		Water Level Date	Remarks
						of top of casing (feet)	Elevation (feet)		
S 5545	150	N. Y. C. B.W. S.	Lincoln Ave., north of Church Street, Holbrook	2	46.0	56.56	56.7	May 29, 1945	
S 5727	129	do	Church St. near Lincoln Avenue, Sayville	2	42.0	40.06	52.0	June 29, 1944	
S 5728	186	do	Near Montauk Hwy., and Taylor Ave., Hagerman	2	46.9	49.11	21.6	June 28, 1944	
S 5729	204	do	Dunton and Barton Avenues, Hagerman	2	59.6	58.59	29.8	Sept. 10, 1945	
S 5750	207	do	Dunton Ave. and So. Haven Rd., Plainfield	2	57.2	80.45	35.4	June 28, 1944	
S 5751	244	do	Taylor Ave. extension near Montauk Hwy, Hagerman	2	44.2	52.02	24.5	do	
S 5752	259	do	Mt. Sinai Rd. near Port Jefferson Rd., Coram	2	76.4	109.85	52.5	June 27, 1944	
S 5755	467	do	Lincoln Ave. south of Church Street, Sayville	2	47.2	36.79	17.9	June 29, 1944	
S 5755	1214	do	Old Town Rd., near Dare Road, Seiden	2	54.9	115.08	65.6	June 27, 1944	
S 5756		U. S. G. S.	Lincoln Ave. and Schmidt St., Holbrook	1½	57.9	95.25	44.4	June 29, 1944	
S 5757		do	Holbrook Rd., south of Jericho Tpke, New Village	1½	64.0	110.54	56.5	June 27, 1944	
S 5758		do	Orthead Rd. north of Jericho Tpke, New Village	1½	68.8	114.59	56.7	June 30, 1944	
S 5759		do	Lincoln Ave. near Church Street, Sayville	1½	50.5	50.52	28.5	June 29, 1944	Replaced N. Y. C. B. W. S. Well 128.
S 5868		do	Upper Sheep Pasture Rd. Setauket Station	2	114.0	99.85	37.5	June 26, 1944	
S 5869		do	Mt. Sinai Rd. near Middle Country Rd., Coram	2	44.0	84.57	55.2	June 27, 1944	
S 5870		do	Mill Pond Rd. near Middle Country Rd., Coram	2	45.8	88.11	54.5	June 28, 1944	
S 5871		do	Fire Rd. west of Bellport Rd., Plainfield	2	91.5	129.64	46.8	do	
S 5955		do	Pond Rd. near Horseblock Rd., Setauket Station	1½	78.0	122.45	53.1	June 27, 1944	
S 5956		do	Millers Place and Yaphank Rds., Millers Place	1½	124.4	145.47	31.7	do	




L. I. R. R.	=	Long Island Railroad
N. C. D. P. W.	=	Nassau County Department of Public Works
N. Y. C. B. W. S.	=	City of New York, Board of Water Supply
N. Y. C. D. W. S.	=	City of New York, Department Water Supply, Gas and Electricity
N. Y. S. D. H.	=	New York State Division of Highways
N. Y. W. S. C.	=	New York Water Service Corporation
U. S. G. S.	=	U. S. Geological Survey
Y. M. C. A.	=	Young Men's Christian Association






SECTION F-F'








S 3517 S 3733 S 3739 S 3727 S 3545 S 3736 S 3496 S 3737 S 3738 S 3955 S 3868


SECTION H-H'



S 3728 S 3731 S 3729 S 3730 S 3871 S 3870 S 3869 S 3732 S 3956

SECTION I-I'

U.S. GEOLOGICAL SURVEY  
CROSS-SECTIONS OF THE WESTERN AND CENTRAL PARTS OF  
**LONG ISLAND, NEW YORK**  
SHOWING PROFILES OF THE WATER TABLE  
IN 1903 AND 1943



Datum is mean sea level at Sandy Hook, N.J.

U.S. GEOLOGICAL SURVEY  
 MAP OF THE WESTERN AND CENTRAL PARTS OF  
**LONG ISLAND, NEW YORK**  
 SHOWING LOCATION OF SHALLOW OBSERVATION WELLS  
 AND CONTOURS OF THE WATER TABLE  
 AT THE END OF MAY 1943  
 ALSO LOCATION OF  
 STREAM-GAGING STATIONS

0 1 2 3 4 Miles

Datum is mean sea level at Sandy Hook, N. J.

-EXPLANATION-


○ N 1132  
 53.7  
 Upper figure is observation well number.  
 Lower figure is elevation of water  
 table at end of May 1943.

○ Recorder well

● Supply well

■ Stream-gaging station

10' Contour of the Water Table



3 4 Miles

ok, N. J.

